

8 March 2016

Original: English

(16-1345) Page: 1/3

Committee on Sanitary and Phytosanitary Measures

NOTIFICATION

1. Notifying Member: BRAZIL

If applicable, name of local government involved:

- 2. Agency responsible: ANVISA The Brazilian Health Regulatory Agency
- 3. Products covered (provide tariff item number(s) as specified in national schedules deposited with the WTO; ICS numbers should be provided in addition, where applicable): Foliar application in cultures of pineapple (0.7mg/kg safety security period of 7 days), pumpkin (0.01mg/kg safety security period of 7 days), zucchini (0.01mg/kg safety security period of 7 days), chard (0.3mg/kg safety security period of 7 days), acerola (1.0mg/kg safety security period of 7 days), watercress (0.3mg/kg safety security period of 7 days), lettuce (0.3mg/kg safety security period of 7 days), on cotton leaves (0.1mg/kg safety security period of 30 days), garlic (0.03mg/kg safety security period of 7 days), plum (0.2mg/kg safety security period of 15 days), peanut (0.01mg/kg safety security period of 7 days), blackberry (1.0mg/kg safety security period of 7 days), annonaceae (0.2mg/kg safety security period of 7 days), rice (0.1mg/kg safety security period of 30 days), oat (0.3mg/kg safety security period of 14 days), potato (0.1mg/kg safety security period of 7 days), eggplant (0.03mg/kg safety security period of 14 days), beet (0.05mg/kg safety security period of 14 days), broccoli (0.01mg/kg safety security period of 7 days), coffee (0.5mg/kg safety security period of 30 days), sugarcane (0.01mg/kg safety security period of 40 days), canola (2.0mg/kg safety security period of 7 days), onion (0.03mg/kg safety security period of 7 days), rye (0.3mg/kg safety security period of 14 days), barley (0.3mg/kg safety security period of 14 days), chicory (0.3mg/kg safety security period of 7 days), chayote (0.01mg/kg safety security period of 7 days), citrus (0.2mg/kg safety security period of 15 days), kale (0.01mg/kg safety security period of 7 days), Chinese cabbage (0.01mg/kg safety security period of 7 days), Brussels sprouts (0.01mg/kg safety security period of 7 days), cauliflower (0.01mg/kg safety security period of 7 days), cupuacu (0.2mg/kg safety security period of 7 days), eucalyptus (non-food use), spinach (0.3mg/kg safety security period of 7 days), bean (0.5mg/kg safety security period of 15 days), tobbaco (non-food use), sesame (2.0mg/kg safety security period of 7 days), sunflower (2.0mg/kg safety security period of 7 days), scarlet eggplant (0.03mg/kg safety security period of 14 days), apple (0.2mg/kg safety security period of 1 day), papaya (0.2mg/kg safety security period of 7 days), castor bean (nonfood use), arracacia (0.05mg/kg safety security period of 14 days), mango (0.7mg/kg safety security period of 7 days), passion fruit (0.2mg/kg safety security period of 7 days), quince (0.2mg/kg safety security period of 15 days), melon (0.1mg/kg safety security period of 7 days), millet (0.1mg/kg safety security period of 45 days), corn (0.1mg/kg safety security period of 45 days), strawberry (1.0mg/kg safety security period of 7 days), mustard (0.3mg/kg safety security period of 7 days), turnip (0.05mg/kg safety security period of 14 days), medlar (0.2mg/kg safety security period of 15 days), cucumber (0.01mg/kg safety security period of 7 days), pear (0.2mg/kg safety security period of 15 days), peach (0.2mg/kg safety security period of 15 days), pepper (0.03mg/kg safety security period of 14 days), green pepper (0.03mg/kg safety security period of 14 days), Surinam cherry (1.0mg/kg safety security period of 7 days), okra (0.03mg/kg safety security period of 14 days), cabbage (0.01mg/kg safety security period of 7 days), arugula (0.3mg/kg safety security period of 7 days), soy (0.1mg/kg safety security period of 30 days), sorghum (1.5mg/kg safety security period of 7 days),

tomato (0.1mg/kg safety security period of 4 days), wheat (0.3mg/kg safety security period of 14 days), triticale (0.3mg/kg safety security period of 14 days), grape (1.0mg/kg safety security period of 7 days)

- 4. Regions or countries likely to be affected, to the extent relevant or practicable:
 - [X] All trading partners
 - [] Specific regions or countries:
- 5. Title of the notified document: Draft resolution regarding the active ingredient T33 TEFLUBENZURON of the monograph list of active ingredients for pesticides, household cleaning products and wood preservers, published by Resolution RE n° 165 of 29 August 2003, Brazilian Official Gazette (DOU Diário Oficial da União) of 2 September 2003 Language(s): Portuguese Number of pages: 4 http://portal.anvisa.gov.br/wps/wcm/connect/f41c67004be0035b97dcb7f0de6cc761/CO NSULTA+P%C3%9ABLICA+N+131+GGTOX+2016.pdf?MOD=AJPERES
- 6. Description of content: Foliar application in cultures of pineapple (0.7mg/kg safety security period of 7 days), pumpkin (0.01mg/kg safety security period of 7 days), zucchini (0.01mg/kg safety security period of 7 days), chard (0.3mg/kg safety security period of 7 days), acerola (1.0mg/kg safety security period of 7 days), watercress (0.3mg/kg safety security period of 7 days), lettuce (0.3mg/kg safety security period of 7 days), on cotton leaves (0.1mg/kg safety security period of 30 days), garlic (0.03mg/kg safety security period of 7 days), plum (0.2mg/kg safety security period of 15 days), peanut (0.01mg/kg safety security period of 7 days), blackberry (1.0mg/kg safety security period of 7 days), annonaceae (0.2mg/kg safety security period of 7 days), rice (0.1mg/kg safety security period of 30 days), oat (0.3mg/kg safety security period of 14 days), potato (0.1mg/kg safety security period of 7 days), eggplant (0.03mg/kg safety security period of 14 days), beet (0.05mg/kg safety security period of 14 days), broccoli (0.01mg/kg safety security period of 7 days), coffee (0.5mg/kg safety security period of 30 days), sugarcane (0.01mg/kg safety security period of 40 days), canola (2.0mg/kg safety security period of 7 days), onion (0.03mg/kg safety security period of 7 days), rye (0.3mg/kg safety security period of 14 days), barley (0.3mg/kg safety security period of 14 days), chicory (0.3mg/kg safety security period of 7 days), chayote (0.01mg/kg safety security period of 7 days), citrus (0.2mg/kg safety security period of 15 days), kale (0.01mg/kg safety security period of 7 days), Chinese cabbage (0.01mg/kg safety security period of 7 days), Brussels sprouts (0.01mg/kg safety security period of 7 days), cauliflower (0.01mg/kg safety security period of 7 days), cupuacu (0.2mg/kg safety security period of 7 days), eucalyptus (non-food use), spinach (0.3mg/kg safety security period of 7 days), bean (0.5mg/kg safety security period of 15 days), tobbaco (non-food use), sesame (2.0mg/kg safety security period of 7 days), sunflower (2.0mg/kg safety security period of 7 days), scarlet eggplant (0.03mg/kg safety security period of 14 days), apple (0.2mg/kg safety security period of 1 day), papaya (0.2mg/kg safety security period of 7 days), castor bean (nonfood use), arracacia (0.05mg/kg safety security period of 14 days), mango (0.7mg/kg safety security period of 7 days), passion fruit (0.2mg/kg safety security period of 7 days), quince (0.2mg/kg safety security period of 15 days), melon (0.1mg/kg safety security period of 7 days), millet (0.1mg/kg safety security period of 45 days), corn (0.1mg/kg safety security period of 45 days), strawberry (1.0mg/kg safety security period of 7 days), mustard (0.3mg/kg safety security period of 7 days), turnip (0.05mg/kg safety security period of 14 days), medlar (0.2mg/kg safety security period of 15 days), cucumber (0.01mg/kg safety security period of 7 days), pear (0.2mg/kg safety security period of 15 days), peach (0.2mg/kg safety security period of 15 days), pepper (0.03mg/kg safety security period of 14 days), green pepper (0.03mg/kg safety security period of 14 days), Surinam cherry (1.0mg/kg safety security period of 7 days), okra (0.03mg/kg safety security period of 14 days), cabbage (0.01mg/kg safety security period of 7 days), arugula (0.3mg/kg safety security period of 7 days), soy (0.1mg/kg safety security period of 30 days), sorghum (1.5mg/kg safety security period of 7 days), tomato (0.1mg/kg safety security period of 4 days), wheat (0.3mg/kg safety security period of 14 days), triticale (0.3mg/kg safety security period of 14 days), grape (1.0mg/kg safety security period of 7 days).

